




TRIO

SOUNDPROOF PIPING SYSTEM




TRIO PIPE




Code	Diameter (mm)	Length (mm)	d ₁ (mm)	s (mm)	d ₂ (mm)	t ₁ (mm)	PCS
115.1G.121.A00	50	150	50	2.0	54.0	62.0	100
115.1G.122.A00	50	250	50	2.0	54.0	62.0	70
115.1G.123.A00	50	500	50	2.0	54.0	62.0	8
115.1G.124.A00	50	1000	50	2.0	54.0	62.0	8
115.1G.125.A00	50	2000	50	2.0	54.0	62.0	8
115.1G.126.A00	50	3000	50	2.0	54.0	62.0	8
115.1G.127.A00	50	6000	50	2.0	54.0	62.0	1
115.1G.121.B00	75	150	75	2.3	80.0	67.0	50
115.1G.122.B00	75	250	75	2.3	80.0	67.0	40
115.1G.123.B00	75	500	75	2.3	80.0	67.0	4
115.1G.124.B00	75	1000	75	2.3	80.0	67.0	4
115.1G.125.B00	75	2000	75	2.3	80.0	67.0	4
115.1G.126.B00	75	3000	75	2.3	80.0	67.0	4
115.1G.127.B00	75	6000	75	2.3	80.0	67.0	1
115.1G.121.C00	110	150	110	3.4	117.0	81.0	30
115.1G.122.C00	110	250	110	3.4	117.0	81.0	20
115.1G.123.C00	110	500	110	3.4	117.0	81.0	4
115.1G.124.C00	110	1000	110	3.4	117.0	81.0	4
115.1G.125.C00	110	2000	110	3.4	117.0	81.0	4
115.1G.126.C00	110	3000	110	3.4	117.0	81.0	4
115.1G.127.C00	110	6000	110	3.4	117.0	81.0	1
115.1G.121.D00	125	150	125	3.4	136.0	91.0	21
115.1G.122.D00	125	250	125	3.9	136.0	91.0	14
115.1G.123.D00	125	500	125	3.9	136.0	91.0	7
115.1G.124.D00	125	1000	125	3.9	136.0	91.0	2
115.1G.125.D00	125	2000	125	3.9	136.0	91.0	2
115.1G.126.D00	125	3000	125	3.9	136.0	91.0	2
115.1G.127.D00	125	6000	125	3.9	136.0	91.0	1
115.1G.121.E00	160	150	160	5.3	185.0	100.0	12
115.1G.122.E00	160	250	160	5.3	185.0	100.0	8
115.1G.123.E00	160	500	160	5.3	185.0	100.0	4
115.1G.124.E00	160	1000	160	5.3	185.0	100.0	1
115.1G.125.E00	160	2000	160	5.3	185.0	100.0	1
115.1G.126.E00	160	3000	160	5.3	185.0	100.0	1
115.1G.127.E00	160	6000	160	5.3	185.0	100.0	1
115.1G.123.F00	200	500	200	6.2	229.0	111.0	3
115.1G.124.F00	200	1000	200	6.2	229.0	111.0	1
115.1G.125.F00	200	2000	200	6.2	229.0	111.0	1
115.1G.126.F00	200	3000	200	6.2	229.0	111.0	1
115.1G.127.F00	200	6000	200	6.2	229.0	111.0	1

Trio Single Branch 87°




Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	PCS/Bag
115.1G.305.AA0	50x50	50	157.0	47.0	50	50	100
115.1G.305.BA0	75x50	75	176.0	47.0	50	75	50
115.1G.305.BB0	75x75	75	190.0	55.5	75	75	30
115.1G.305.CA0	110x50	110	228.0	47.0	50	110	20
115.1G.305.CB0	110x75	110	228.0	52.0	75	110	20
115.1G.305.CC0	110x110	110	240.0	61.0	110	110	15
115.1G.305.DD0	125x125	125	275.0	72.0	125	125	10

Trio Single Branch 45°




Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	PCS/Bag
115.1G.304.AA0	50 x 50	50	190.0	80.0	50	50	80
115.1G.304.BA0	75 x 50	75	198.0	80.0	75	50	50
115.1G.304.BB0	75 x 75	75	230.0	100.0	75	75	30
115.1G.304.CA0	110 x 50	110	208.0	80.0	110	50	20
115.1G.304.CB0	110 x 75	110	242.0	100.0	110	75	15
115.1G.304.CC0	110 x 110	110	291.0	135.0	110	110	10
115.1G.304.DA0	125 x 50	125	216.0	80.0	125	50	15
115.1G.304.DB0	125 x 75	125	264.0	100.0	125	75	10
115.1G.304.DC0	125 x 110	125	313.0	135.0	125	110	10
115.1G.304.DD0	125 x 125	125	331.0	150.0	125	125	8
115.1G.304.EB0	160 x 75	160	391.0	100.0	160	75	6
115.1G.304.EC0	160 x 110	160	391.0	147.5	160	110	6
115.1G.304.ED0	160 x 125	160	391.0	171.6	160	125	5
115.1G.304.EE0	160 x 160	160	391.0	185.0	160	160	4
115.1G.304.FC0	200 x 110	200	480.0	135.0	200	110	3
115.1G.304.FD0	200 x 125	200	480.0	147.5	200	125	3
115.1G.304.FE0	200 x 160	200	480.0	180.0	200	160	2
115.1G.304.FF0	200 x 200	200	480.0	213.4	200	200	2

Trio Double Branch 45°



Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	PCS/Bag
115.1G.307.AA0	50 x 50	50	176.0	115.5	50	50	50
115.1G.307.BA0	75 x 50	75	222.0	136.0	75	50	35
115.1G.307.BB0	75 x 75	75	222.0	151.0	75	75	25
115.1G.307.CA0	110 x 50	110	295.0	165.0	110	50	20
115.1G.307.CB0	110 x 75	110	295.0	180.5	110	75	10
115.1G.307.CC0	110 x 110	110	295.0	210.0	110	110	8
115.1G.307.DC0	125 x 110	125	335.0	224.0	125	110	6
115.1G.307.EC0	160 x 110	160	395.0	248.0	160	110	4

Trio Elbow 87°



Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	D (mm)	PCS/Bag
115.1G.302.A00	50	50	112.0	50.3	50	175
115.1G.302.B00	75	75	125.0	56.0	75	70
115.1G.302.C00	110	110	187.0	61.3	110	20
115.1G.302.D00	125	125	212.0	72.2	125	15
115.1G.302.E00	160	160	258.0	79.6	160	8
115.1G.302.F00	200	200	310.0	102.4	200	5

Trio Elbow 45°



Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	D (mm)	PCS/Bag
115.1G.303.A00	50	50	112.0	50.3	50	200
115.1G.303.B00	75	75	125.0	56.0	75	80
115.1G.303.C00	110	110	187.0	61.3	110	25
115.1G.303.D00	125	125	212.0	72.2	125	20
115.1G.303.E00	160	160	258.0	79.6	160	10
115.1G.303.F00	200	200	310.0	102.4	200	4

Trio Reducer




Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	PCS/Bag
115.1G.306.BA0	75x50	75	122.0	50	125
115.1G.306.CA0	110x50	110	151.0	50	50
115.1G.306.CB0	110x75	110	141.0	75	45
115.1G.306.DB0	125x75	125	162.0	75	40
115.1G.306.DC0	125x110	125	142.0	110	30
115.1G.306.EC0	160x110	160	189.0	110	15
115.1G.306.ED0	160x125	160	174.0	125	15
115.1G.306.FD0	200x125	200	220.0	125	10
115.1G.306.FE0	200x160	200	220.0	160	8

Trio Cleaning T




Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	PCS/Bag
115.1G.308.B00	75	75	190.0	55.5	92.0	75	30
115.1G.308.C00	110	110	237.0	35.2	118.0	110	15
115.1G.308.D00	125	125	274.0	61.0	134.0	125	10
115.1G.308.E00	160	160	290.0	70.0	118.0	160	5

Trio S-Trap




Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	PCS/Bag
115.1G.309.CTS	110	290	150	175	10

Trio S-Trap with Vent




Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	PCS/Bag
115.1G.309.CTV	110	290	150	175	10

Trio P-Trap



Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	PCS/Bag
115.1G.309.CTP	110	290	150	175	10

Trio P-Trap with Vent



Code	Diameter (mm)	A (mm)	B (mm)	C (mm)	PCS/Bag
115.1G.309.CT0	110	290	150	175	10

Incola Acoustic Pipe Clamp



Code	Diameter (mm)
221.1G.510.A00	50
221.1G.510.B00	75
221.1G.510.C00	110
221.1G.510.D00	125
221.1G.510.E00	160

Incola Acoustic Pipe Clamp with Nut



Code	Diameter (mm)
221.1G.515.A00	50
221.1G.515.B00	75
221.1G.515.C00	110
221.1G.515.D00	125
221.1G.515.E00	160

Incola Acoustic Pipe Clamp with Screw



Code	Diameter (mm)
221.1G.516.A00	50
221.1G.516.B00	75
221.1G.516.C00	110
221.1G.516.D00	125
221.1G.516.E00	160